

Робочий тиск: 3 бар



| Тип | Модель | Габарити, мм. | | | Підключення | Площа теплообмінника, м ² | | Ціна, € | | | | |
|--|---|---------------|-------------------|--------------------------|-------------|--------------------------------------|---------|------------------|-----------------|--------|--------|------|
| | | Висота, мм. | Діаметр бака, мм. | Діаметр з ізоляцією, мм. | | нижній | верхній | Бак без ізоляції | Бак з ізоляцією | | | |
| | | | | | | | | | PL/PVC | PL/ABS | PS/ABS | |
| VTA 1  | 400 | 1700 | 600 | 800 | G 1½" | 1,5 | 1,40 | 975 | 1135 | 1190 | 1280 | |
| | 500 | 1995 | 600 | 800 | G 1½" | 1,5 | 1,40 | 1020 | 1195 | 1255 | 1360 | |
| | | | | | | | 2,20 | 1165 | 1340 | 1400 | 1505 | |
| | | | | | | | 1,55 | 1145 | 1340 | 1450 | 1575 | |
| | 750 | 2010 | 750 | 950 | G 1½" | 1,5 | 2,10 | 1245 | 1440 | 1550 | 1675 | |
| | | | | | | | 3,10 | 1400 | 1595 | 1705 | 1830 | |
| | | | | | | | 3,80 | 1480 | 1675 | 1785 | 1910 | |
| | | | | | | | 1,55 | 1380 | 1595 | 1700 | 1875 | |
| | 1000 | 2060 | 850 | 1050 | G 1½" | 1,8 | 2,30 | 1535 | 1750 | 1855 | 2030 | |
| | | | | | | | 3,10 | 1665 | 1880 | 1985 | 2160 | |
| | | | | | | | 3,90 | 1795 | 2010 | 2115 | 2290 | |
| | | | | | | | 4,60 | 1925 | 2140 | 2245 | 2420 | |
| | 1500 | 2150 | 1000 | 1200 | G 1½" | 2,3 | 1,90 | 1660 | 1950 | 2070 | 2200 | |
| | | | | | | | 2,90 | 1800 | 2090 | 2210 | 2340 | |
| | | | | | | | 3,85 | 1930 | 2220 | 2340 | 2470 | |
| | | | | | | | 4,80 | 2055 | 2345 | 2465 | 2595 | |
| 2000 | 2250 | 1200 | 1400 | G 1½" | 2,3 | 5,70 | 2195 | 2485 | 2605 | 2735 | | |
| | | | | | | 2,30 | 2070 | 2410 | 2555 | 2760 | | |
| | | | | | | 3,45 | 2230 | 2570 | 2715 | 2920 | | |
| | | | | | | 4,56 | 2380 | 2720 | 2865 | 3070 | | |
| VTA 1 SOLARPLUS  | 400 | 1700 | 600 | 800 | G 1½" | 1,5 | 2,00 | 1190 | 1350 | 1405 | 1495 | |
| | 500 | 1995 | 600 | 800 | G 1½" | 1,5 | 2,85 | 1405 | 1580 | 1640 | 1745 | |
| | 750 | 2010 | 750 | 950 | G 1½" | 1,5 | 4,45 | 1845 | 2040 | 2150 | 2275 | |
| | 1000 | 2060 | 850 | 1050 | G 1½" | 1,8 | 5,10 | 2180 | 2395 | 2500 | 2675 | |
| | 1500 | 2150 | 1000 | 1200 | G 1½" | 2,3 | 6,20 | 2415 | 2705 | 2825 | 2955 | |
| | 2000 | 2250 | 1200 | 1400 | G 1½" | 2,3 | 6,20 | 2935 | 3275 | 3420 | 3625 | |
| | VTA 2  | 400 | 1700 | 600 | 800 | G 1½" | | 1,40 | 805 | 965 | 1020 | 1110 |
| | | 500 | 1995 | 600 | 800 | G 1½" | | 1,40 | 830 | 1005 | 1065 | 1170 |
| | | | | | | | | 2,20 | 1000 | 1175 | 1235 | 1340 |
| | | | | | | | | 1,55 | 945 | 1140 | 1250 | 1375 |
| 750 | | 2010 | 750 | 950 | G 1½" | | 2,10 | 1015 | 1210 | 1320 | 1445 | |
| | | | | | | | 3,10 | 1150 | 1345 | 1455 | 1580 | |
| | | | | | | | 3,80 | 1325 | 1520 | 1630 | 1755 | |
| | | | | | | | 1,55 | 1120 | 1335 | 1440 | 1615 | |
| 1000 | | 2060 | 850 | 1050 | G 1½" | | 2,30 | 1230 | 1445 | 1550 | 1725 | |
| | | | | | | | 3,10 | 1360 | 1575 | 1680 | 1855 | |
| | 3,90 | | | | | | 1490 | 1705 | 1810 | 1985 | | |
| | 4,60 | | | | | | 1620 | 1835 | 1940 | 2115 | | |
| 1500 | 2150 | 1000 | 1200 | G 1½" | | 1,90 | 1290 | 1580 | 1700 | 1830 | | |
| | | | | | | 2,90 | 1430 | 1720 | 1840 | 1970 | | |
| | | | | | | 3,85 | 1560 | 1850 | 1970 | 2100 | | |
| | | | | | | 4,80 | 1685 | 1975 | 2095 | 2225 | | |
| 2000 | 2250 | 1200 | 1400 | G 1½" | | 5,70 | 1830 | 2120 | 2240 | 2370 | | |
| | | | | | | 2,30 | 1700 | 2040 | 2185 | 2390 | | |
| | | | | | | 3,45 | 1860 | 2200 | 2345 | 2550 | | |
| | | | | | | 4,56 | 2015 | 2355 | 2500 | 2705 | | |
| VTA 3  | 400 | 1700 | 600 | 800 | G 1½" | 1,5 | | 685 | 845 | 900 | 990 | |
| | 500 | 1995 | 600 | 800 | G 1½" | 1,5 | | 735 | 910 | 970 | 1075 | |
| | 750 | 2010 | 750 | 950 | G 1½" | 1,5 | | 865 | 1060 | 1170 | 1295 | |
| | 1000 | 2060 | 850 | 1050 | G 1½" | 1,8 | | 1025 | 1240 | 1345 | 1520 | |
| | 1500 | 2150 | 1000 | 1200 | G 1½" | 2,3 | | 1270 | 1560 | 1680 | 1810 | |
| | 2000 | 2250 | 1200 | 1400 | G 1½" | 2,3 | | 1635 | 1975 | 2120 | 2325 | |

| Тип | Модель | Габарити, мм | | | Роб. тиск бака, бар. | Підкл. | Площа теплообм., м² | | Ціна, € | | | |
|--|--------|--------------|-------------------|--------------------------|----------------------|--------|---------------------|-------|---------------|-----------------|--------|--------|
| | | Висота, мм. | Діаметр бака, мм. | Діаметр з ізоляцією, мм. | | | нижн. | верх. | Бак без ізол. | Бак з ізоляцією | | |
| | | | | | | | | | | PL/PVC | PL/ABS | PS/ABS |
|  VTA 4 | 200 | 1410 | 480 | 700 | 3 | G 1½" | | | 385 | 515 | 565 | 620 |
| | 300 | 1910 | 480 | 700 | 3 | G 1½" | | | 455 | 615 | 665 | 745 |
| | 400 | 1700 | 600 | 800 | 3 | G 1½" | | | 480 | 640 | 695 | 785 |
| | | | | | 6 | | | | 535 | 695 | 750 | 840 |
| | 500 | 1950 | 600 | 800 | 3 | G 1½" | | | 520 | 695 | 755 | 860 |
| | | | | | 6 | | | | 570 | 745 | 805 | 910 |
| | 750 | 2010 | 750 | 950 | 3 | G 1½" | | | 700 | 895 | 1005 | 1130 |
| | | | | | 6 | | | | 745 | 940 | 1050 | 1175 |
| | 1000 | 2060 | 850 | 1050 | 3 | G 1½" | | | 770 | 985 | 1090 | 1265 |
| | | | | | 4,5 | | | | 845 | 1060 | 1165 | 1340 |
| | 1500 | 2150 | 1000 | 1200 | 3 | G 1½" | | | 1035 | 1330 | 1445 | 1575 |
| 2000 | 2250 | 1200 | 1400 | 3 | G 1½" | | | 1425 | 1765 | 1910 | 2115 | |
| 3000 | 2340 | 1400 | 1600 | 3 | G 2" | | | 2030 | 2440 | 2505 | 2815 | |
| 4000 | 2400 | 1600 | 1800 | 3 | G 2" | | | 3055 | 3520 | 3730 | 3875 | |
| 5000 | 2900 | 1600 | 1800 | 3 | G 2" | | | 3450 | 4040 | 4270 | 4440 | |
|  VTA 4 NF | 200 | 1410 | 480 | 660 | 3 | G 1½" | | | 320 | 450 | 500 | 555 |
| | 300 | 1910 | 480 | 660 | 3 | G 1½" | | | 390 | 550 | 600 | 680 |
| | 400 | 1700 | 600 | 780 | 3 | G 1½" | | | 415 | 575 | 630 | 720 |
| | | | | | 6 | | | | 465 | 625 | 680 | 770 |
| | 500 | 1950 | 600 | 780 | 3 | G 1½" | | | 465 | 640 | 700 | 805 |
| | | | | | 6 | | | | 520 | 695 | 755 | 860 |
| | 750 | 2010 | 750 | 930 | 3 | G 1½" | | | 635 | 830 | 940 | 1065 |
| | | | | | 6 | | | | 680 | 875 | 985 | 1110 |
| | 1000 | 2060 | 850 | 1030 | 3 | G 1½" | | | 705 | 920 | 1025 | 1200 |
| | | | | | 4,5 | | | | 780 | 995 | 1100 | 1275 |
| | 1500 | 2150 | 1000 | 1180 | 3 | G 1½" | | | 970 | 1265 | 1380 | 1510 |
| 2000 | 2250 | 1200 | 1380 | 3 | G 1½" | | | 1360 | 1700 | 1845 | 2050 | |
| 3000 | 2340 | 1400 | 1580 | 3 | G 2" | | | 1970 | 2380 | 2445 | 2755 | |
| 4000 | 2400 | 1600 | 1780 | 3 | G 2" | | | 2990 | 3455 | 3665 | 3810 | |
| 5000 | 2900 | 1600 | 1780 | 3 | G 2" | | | 3385 | 3975 | 4205 | 4375 | |
|  VTA 4 ECONOM | 100 | 1055 | 400 | 600 | 3 | G 1" | | | 230 | 330 | 370 | 420 |
| | 200 | 1410 | 480 | 700 | 3 | G 1½" | | | 295 | 425 | 475 | 530 |
| | 300 | 1910 | 480 | 700 | 3 | G 1½" | | | 390 | 550 | 600 | 680 |
| | 400 | 1700 | 600 | 800 | 3 | G 1½" | | | 390 | 550 | 605 | 695 |
| | | | | | 6 | | | | 440 | 600 | 655 | 745 |
| | 500 | 1950 | 600 | 800 | 3 | G 1½" | | | 415 | 590 | 650 | 755 |
| | | | | | 6 | | | | 475 | 650 | 710 | 815 |
| | 750 | 2010 | 750 | 950 | 3 | G 1½" | | | 575 | 770 | 880 | 1005 |
| | | | | | 6 | | | | 625 | 820 | 930 | 1055 |
| | 1000 | 2060 | 850 | 1050 | 3 | G 1½" | | | 675 | 890 | 995 | 1170 |
| | | | | | 4,5 | | | | 725 | 940 | 1045 | 1220 |
| | 1500 | 2150 | 1000 | 1200 | 3 | G 1½" | | | 940 | 1235 | 1350 | 1480 |
| | 2000 | 2250 | 1200 | 1400 | 3 | G 1½" | | | 1340 | 1680 | 1825 | 2030 |
| 3000 | 2350 | 1400 | 1600 | 3 | G 2" | | | 1940 | 2350 | 2415 | 2725 | |
| 4000 | 2400 | 1600 | 1800 | 3 | G 2" | | | 2930 | 3395 | 3605 | 3750 | |
| 5000 | 2900 | 1600 | 1800 | 3 | G 2" | | | 3355 | 3945 | 4175 | 4345 | |